



**“Patient’s Safety is  
Our Top Priority”**

Korean Intellectual Property Office  
Patent No. 30-2019-0001238 / 30-1008177

ISO 13485:2016 CERTIFIED



- ✓ *DEHP-Free*
- ✓ *Priming Filter*
- ✓ *Auto Air/ Particle  
Protect Filter*

**ISO International Standard: Mandatory to  
use 15 micron inline filter in all standard  
infusion sets for patient’s safety.**

**PHILIPPINE NATIONAL STANDARD:  
PNS/BHDT ISO 8536-4:2007**



**Auto ( Air / Particle )  
Protect**

# AUTO (AIR/PARTICLE) PROTECT

Korean Intellectual Property Office  
Patent No. 30-2019-0001238 / 30-1008177

## TECHNICAL SPECIFICATIONS

Strictly following ISO standard in-line filter for patient's safety

Features	Benefits
<b>AUTO AIR/PARTICLE PROTECT FILTER</b> 	<ul style="list-style-type: none"> <li>✓ Our chamber has hydrophilic membrane filter for auto air and particle protect</li> <li>✓ When IV bottle is empty, it prevents the main line to run dry</li> <li>✓ Maintains a constant fluid level (auto-priming)</li> <li>✓ Ensures patient's safety</li> </ul>
<b>PRIMING FILTER</b> 	<ul style="list-style-type: none"> <li>✓ Prime-stop</li> <li>✓ Prevents spillage and wastage of I.V. fluid</li> <li>✓ Hospital acquired infections prevention</li> <li>✓ Ensures patient's safety</li> </ul>
<b>Hydrophilic membrane filter</b>	<ul style="list-style-type: none"> <li>✓ Allows I.V. fluid to pass through</li> <li>✓ Doesn't allow air to pass through</li> <li>✓ Filters particles and other impurities</li> </ul>
<b>DEHP-free and PVC-free</b>	<ul style="list-style-type: none"> <li>✓ Ensures patients' safety</li> <li>✓ No leaching effect</li> <li>✓ Easy and fast priming</li> <li>✓ Standard flow rate: 20 drops/mL</li> </ul>
<b>Needleless 3-way stopcock</b>	<ul style="list-style-type: none"> <li>✓ Needleless port</li> <li>✓ Prevents bacterial contamination</li> </ul>
<b>Needleless Y-injection port</b>	<ul style="list-style-type: none"> <li>✓ <b>Needleless</b> Y-port</li> <li>✓ No leakage even with multiple insertion</li> <li>✓ Prevents "needle-stick" injury</li> </ul>
<b>Length</b>	<ul style="list-style-type: none"> <li>✓ Standard tube length: <b>180cm~300cm</b> (customized for hospital requirement)</li> </ul>

KOREA PLANT: 1178-17, Gunbuk-ro, Chubu-myeon, Geumsan-gun, Chungcheongnam-do, Korea.  
Tel No.: +82) 041-751-9387 to 88

PHIL PLANT: Medic-Pro Building Marcos Highway, Brgy. Inarawan, Antipolo City, Philippines, 1870  
Tel No.: +632)998-54-83 / 984-50-79

E-mail: medicpro88@gmail.com Website: www.medicprocorp.com